
THORNOV 490-505W High Efficiency Bifacial Single Glass PERC Module TS-BW66





Bifacial technology allows for the harvesting of up to an additional 25% energy from the rear side of the module.



Excellent low irradiance performance.



Enhanced light trapping and optimized current collection contribute to the improvement of both module power output and reliability.



Industry leading lowest thermal coefficient of power.



Design optimized for lower operating current, resulting in minimized hot spot loss and improved temperature coefficient.



Certified to withstand: wind load (2400 Pa) and snow load (5400 Pa).




100% triple EL test enables remarkable reduction of module hidden crack rate.

RE INSURANCE



* Optional performance warranty insurance. Please contact our local sales staff for more information.

LINEAR PERFORMANCE WARRANTY



15 years Product quality & process guarantee

25 years Linear power guarantee **0.555** % Annual degradation Over 25 years

COMPREHENSIVE CERTIFICATES



ISO 9001:	Quality Management System			
ISO 14001:	Environmental Management System Standard			
ISO 45001: International Occupational Health and				
	Safety Assessment System Standard			
* Different markete k	any e different certification requirements. Also, the products are under rapid inpovation			

 Different markets have different certification requirements. Also, the products are under rapid innovation Please confirm the certification status with regional sales representatives.

ELECTRIC CHARACTERISTICS



Model of modules	TS-BW66(490)		TS-BW66(495)		TS-BW66(500)		TS-BW66(505)	
	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT
Peak power - P _{mp} (W)	490	365	495	369	500	373	505	376
Open circuit voltage - V _{oc} (V)	45.25	42.71	45.34	42.80	45.43	42.88	45.54	42.99
Short circuit current – $I_{sc}(A)$	13.71	11.08	13.78	11.13	13.85	11.19	13.95	11.27
MPP voltage - V _{mp} (V)	37.27	34.89	37.34	34.96	37.41	35.02	37.53	35.13
MPP current - $I_{mp}(A)$	13.15	10.46	13.26	10.55	13.37	10.64	13.46	10.71
Module efficiency - η_m (%)	20.64 %		20.85 %		21.06 %		21.27 %	

STC (Standard Testing Conditions): Irradiance 1000W/m², Cell Temperature 25 °C , Spectra at AM1.5

NOCT (Nominal Operating Cell Temperature): Irradiance 800W/m², Ambient Temperature 20°C , Spectra at AM1.5, Wind at 1m/s

ELECTRICAL CHARACTERISTICS WITH DIFFERENT POWER BIN (REFERENCE TO 13.5% IRRADIANCE RATIO)

Peak power - P _{mp} (W)	536	542	547	553	
Open circuit voltage - V _{oc} (V)	45.25	45.34	45.43	45.54	
Short circuit current - $I_{sc}(A)$	15.01	15.08	15.16	15.27	
MPP voltage - $V_{mp}(V)$	37.27	37.34	37.41	37.53	
MPP current - I_{mp} (A)	14.39	14.51	14.63	14.73	
Irradiance ratio (rear/front)	13.5 %				

STRUCTURAL CHARACTERISTICS

Module dimension (L*W*H)	2094 x 1134 x 35 mm (82.44 x 44.65 x 1.38 inch)		
Weight	25.3 kg (52.78 lbs)		
Number of cells	132 cells		
Cell	PERC monocrystalline 182x91 mm (7.17 x 3.58 inch)		
Glass	Tempered, 3.2 mm AR, High transmittance, Low iron		
Backsheet	Transparent white mesh backsheet		
Frame	Anodized aluminum alloy		
Junction box	IP68		
Output wire	4.0 mm ²		
Wire length	300 mm / 1200 mm / Customized length		
Connector	MC4 - EVO2		
Packing specification	31 pcs/Pallet; 682 pcs/40'HQ		

OPERATING PARAMETERS

Power tolerance (W)	(0,+5)
Maximum system voltage (V)	1500
Maximum rated fuse current (A)	30
Current operating temperature (°C)	-40~+85 °C
Bifaciality	70±5%

MECHANICAL LOADING

Front side maximum static loading (Pa)	5400
Rear side maximum static loading (Pa)	2400
Hailstone test (mm)	40

TEMPERATURE RATINGS


Current-Voltage & Power-Voltage


Curves (505 W)

- 1000w/m² - 800w/m² - 600w/m² - 400w/m² - 200w/m²

Temperature coefficient (P _{max})	-0.33 %/°C
Temperature coefficient (V _{oc})	-0.26 %/°C
Temperature coefficient (I_{sc})	+0.06 %/°C
Nominal operating cell temperature	45±2 ℃

MODULE DIMENSIONS (MM)





Length shown in mm


140

Web: www.thornovasolar.com


Scan the OR code to get more information

E-mail: info@thornovasolar.com

* The parameters delineated within this datasheet, both technical and monetary, may exhibit variations contingent upon the region. Thornova Solar provides no warranty as to their absolute accuracy. Owing to our unceasing commitment to innovation, research, development, and product enhancement, Thornova Solar retains the discretion to amend any information encapsulated in this datasheet without any preceding notification. Clients are urged to procure the most recent treatation of this datasheet and incorporate it as an intrinsic component of the legally binding agreement ratified by both parties. The English rendition of this datasheet serves purely as a point of reference. Should discretions of the Inglish text and versions rendered in other languages, the stipulations of the English version sholl take precedence.



Temperature Dependence of lsc,Voc,Pmax



Cell Temperature (°C)

....

